

CERTIFICATE OF ANALYSIS

Green Wave Ingredients
 Attn: Felicia Ly
 14821 Northam Street
 La Mirada, CA 90638

AR-19-QR-002321-01

Client Code: QR0000177
 Batch Code: EUUSGA2-00024744
 PO Number: 20190131-LA

Report Date: 02/12/2019
 Entry Date: 02/01/2019

Eurofins Sample Code: 111-2019-02010065
 Client Sample Code:
 20190114
 Sample Reference:
 Mfr: Zhuzhou Hansen
 Analysis Date: 2/5/2019

Sample Description: MSM 20-40mesh
 Condition Upon Receipt: Acceptable

Test	Result
UMHY9 - Aerobic Plate Count - AOAC 990.12 Method Reference: AOAC 990.12 *Aerobic Plate Count	< 10 cfu/g
UMABD - Enterobacteriaceae - AOAC 2003.01 Method Reference: AOAC 2003.01 *Enterobacteriaceae	< 10 cfu/g
UM5DP - Total Coliforms - AOAC 991.14 Method Reference: AOAC 991.14 *Coliforms *Escherichia coli	< 10 cfu/g < 10 cfu/g
UMJR7 - Staphylococcus aureus - AOAC 2003.07 Method Reference: AOAC 2003.07 *Staphylococcus aureus	< 10 cfu/g
KK02W - Heavy Metals (As, Cd, Hg, and Pb) Method Reference: AOAC 993.14 Mod. Arsenic (As) Cadmium (Cd) Lead (Pb) Mercury (Hg)	<0.002 ppm <0.002 ppm <0.003 ppm <0.002 ppm
K0001 - Methylsulfonylmethane (MSM) (GC) Method Reference: Internal Method Methylsulfonylmethane (MSM)	99.3 % (w/w)
UMFPA - Mold - AOAC 997.02 Method Reference: AOAC 997.02 Moulds Yeast	< 10 cfu/g < 10 cfu/g
UMDTC - Salmonella spp. - AOAC-RI 121501 Method Reference: AOAC-RI 121501 *Salmonella	Not Detected per 25 g

CERTIFICATE OF ANALYSISGreen Wave Ingredients
Attn: Felicia Ly
14821 Northam Street
La Mirada, CA 90638

AR-19-QR-002321-01

Client Code: QR0000177
Batch Code: EUUSGA2-00024744
PO Number: 20190131-LAReport Date: 02/12/2019
Entry Date: 02/01/2019

**The test result is covered by our current A2LA accreditation.*

Respectfully Submitted,
Eurofins Scientific, Inc.Anne Chi
Business Unit Manager

Testing Cert #3329.05

Results shown in this report relate solely to the item submitted for analysis.
All results are reported on an "As Received" basis unless otherwise stated.
Reports shall not be reproduced except in full without written permission of Eurofins Scientific, Inc.
Measurement of Uncertainty may be obtained upon request.
Retained samples are discarded 30 days after receipt; certain exceptions apply.

All work done in accordance with the Eurofins General Terms and Conditions of Sale.
Full text at: www.eurofinsus.com/Terms_and_Conditions.pdf